

Robert L. Usinger Bibliography and List of Names Proposed

PETER D. ASHLOCK

University of Kansas, Lawrence

BIBLIOGRAPHY

1. 1930. Two new species of *Vanduzeina* from California (Scutelleridae, Hemipt.). Pan-Pac. Entomol., 6(3) : 131–133.
2. 1931. A new species of *Platylygus* (Miridae, Hemiptera). Pan-Pac. Entomol., 7(3) : 129–130.
3. 1932. Miscellaneous studies in the Henicocephalidae (Hemiptera). Pan-Pac. Entomol., 8(4) : 145–156.
4. 1933a. The male of *Vanduzeina slevini* Usng. (Scutelleridae, Hemiptera). Pan-Pac. Entomol., 9(1) : 30.
5. 1933b. Observations on the flight and length of life of drone bees. Ann. Entomol. Soc. Amer., 26(2) : 239–246. D. E. Howell and R. L. U.
6. 1933c. A new record of Arizona Hemiptera. Pan-Pac. Entomol., 9(3) : 99.
7. 1933d. A new species of *Gastrodes* from California (Lygaeidae-Hemiptera). Pan-Pac. Entomol., 9(3) : 127–128.
8. 1934a. New distributional and host plant records of Heteroptera for California. I. Pan-Pac. Entomol., 9(4) : 171–172.
9. 1934b. Two new records of Arizona Hemiptera. Pan-Pac. Entomol., 9(4) : 182.
10. 1934c. Blood sucking among phytophagous Hemiptera. Can. Entomol., 66(5) : 97–100.
11. 1934d. A simple device and method for blowing insect larvae. Bull. Brooklyn Entomol. Soc., 29(4) : 168–170.
12. 1934e. Insect collecting in California. Pan-Pac. Entomol., 10(3) : 102–106. E. G. Linsley and R. L. U.
13. 1935a. A second American species of the naucorid subfamily Laccorinae (Hemiptera). Rev. Entomol., Brazil, 5(2) : 133–136.
14. 1935b. Stingless bees from central Mexico. Cleanings Bee Cult., 63(11) : 666–667.
15. 1935c. A new *Termatophylidea* from Mexico (Hemiptera: Termatophylinae). Entomol. News, 46(10) : 270–273.
16. 1936a. New distributional records of Hawaiian Heteroptera. Proc. Hawaiian Entomol. Soc., 9(2) : 209–210.
17. 1936b. Book reviews. Wigglesworth, Insect physiology; Snodgrass, Insect morphology. Proc. Hawaiian Entomol. Soc., 9(2) : 210–212.
18. 1936c. The genus *Geocoris* in the Hawaiian Islands (Lygaeidae, Hemiptera). Proc. Hawaiian Entomol. Soc., 9(2) : 212–215.
19. 1936d. Insect collecting on Lanai. Proc. Hawaiian Entomol. Soc., 9(2) : 216–218.
20. 1936e. Insect collecting in California—II. Foothills regions. Pan-Pac. Entomol., 12(2) : 49–55. E. G. Linsley and R. L. U.
21. 1936f. Studies in the North American Aradidae with descriptions of new species (Hemiptera). Ann. Entomol. Soc. Amer., 29(3) : 490–516.
22. 1937a. A new species of *Aphelochirus* from Australia (Hemiptera, Naucoridae). Aust. Zool., 8(4) : 341–342.

23. 1937b. Book review. Sweetman, The biological control of insects. Pan-Pac. Entomol., 13(1 & 2) : 14.
24. 1937c. Notes on the biology of *Hydrotrephes balnearius* (Helotrehidae, Hemiptera-Heteroptera). Entomol. Mon. Mag., 73(879) : 179-180 [3rd series, 23(272)].
25. 1937d. A new species of *Koanoa* from the Hawaiian Islands (Miridae, Hemiptera). Proc. Hawaiian Entomol. Soc., 9(3) : 427-439.
26. 1937e. Two new Pacific island species of *Nysius* (Lygaeidae, Hemiptera). Proc. Hawaiian Entomol. Soc., 9(3) : 439-442.
27. 1937f. A new name for *Nysius monticola* Kirkaldy (Lygaeidae, Hemiptera). Proc. Hawaiian Entomol. Soc., 9(3) : 443.
28. 1937g. The Naucoridae of the Philippine Islands (Hemiptera). Philippine J. Sci., 64(3) : 299-311.
29. 1938a. Book review. Jaques, How to know the insects. Pan-Pac. Entomol., 14(1) : 9.
30. 1938b. Dorsal abdominal scent glands in nymphs of Lygaeidae. Pan-Pac. Entomol., 14(2) : 83.
31. 1938c. Biological notes on the pelagic water striders (*Halobates*) of the Hawaiian Islands, with a description of a new species from Waikiki (Gerridae, Hemiptera). Proc. Hawaiian Entomol. Soc., 10(1) : 77-84.
32. 1938d. A new genus and species of Orsillini from China (Hemiptera, Lygaeidae). Pan-Pac. Entomol., 14(3) : 140-142.
33. 1938e. Review of the genus *Gastrodes* (Lygaeidae, Hemiptera). Proc. Calif. Acad. Sci., (4)23(20) : 289-301.
34. 1939a. The family Polyctenidae (Hemiptera: Heteroptera). Microentomology, 4(1) : 1-50. G. F. Ferris and R. L. U.
35. 1939b. Key to North American Cimicidae, p. 92-93; Key to some predaceous Reduviidae likely to be of medical importance, p. 100; Key to the principal families of Hemiptera-Heteroptera of North America which contain predaceous species, p. 101-102, In W. B. Herms, Medical Entomology. The Macmillan Company, New York, 3rd ed., xix + 582 p. [Also in 4th ed., 1950; modified by others in 5th ed., 1961.]
36. 1939c. Book review. Duncan, A contribution to the biology of North American vespine wasps. Pan-Pac. Entomol., 15(2) : 75.
37. 1939d. Book review. DuToit, Our wandering continents. Pan-Pac. Entomol., 15(2) : 88.
38. 1939e. Obituary. B. Preston Clark. Pan-Pac. Entomol., 15(2) : 90.
39. 1939f. Descriptions of new Triatominae with a key to genera (Hemiptera, Reduviidae). Univ. Calif. Publ. Entomol., 7(3) : 33-56.
40. 1939g. *Protepiptera*, a new genus of Achilidae from Baltic amber (Hemiptera, Fulgoroidea). Psyche, 46(2-3) : 65-67.
41. 1939h. Van Dyke retirement. Pan-Pac. Entomol., 15(4) : 187.
42. 1939i. A new genus of Pacific island Enicocephalidae with new species from the Hawaiian and Philippine islands (Hemiptera). Proc. Hawaiian Entomol. Soc., 10(2) : 267-270.
43. 1939j. Distribution and host relationships of *Cyrtorhinus* (Hemiptera: Miridae). Proc. Hawaiian Entomol. Soc., 10(2) : 271-273.
44. 1940a. Fossil Lygaeidae (Hemiptera) from Florissant. J. Paleontol., 14 (1) : 79-80.

45. 1940b. Obituary notices. *Pan-Pac. Entomol.*, 16(1) : 12.
46. 1940c. A new *Triatoma* from Lower California (Hemiptera, Reduviidae). *Pan-Pac. Entomol.*, 16(2) : 73-74.
47. 1940d. Obituary. Edward Payson Van Duzee. *Pan-Pac. Entomol.*, 16(3) : 123.
48. 1940e. The life and works of Edward Payson Van Duzee. *Pan-Pac. Entomol.*, 16(4) : 145-177. E. O. Essig and R. L. U.
49. 1940f. A new species of *Aradus* from Brazil (Hemiptera, Aradidae). *Rev. Entomol., Brazil*, 11(3) : 639-642.
50. 1941a. Book reviews. Comstock, The spider book (revised by Gertsch); Comstock, An introduction to entomology. *Pan-Pac. Entomol.*, 17(1) : 36.
51. 1941b. Key to the subfamilies of Naucoridae with a generic synopsis of the new subfamily Ambrysinae (Hemiptera). *Ann. Entomol. Soc. Amer.*, 34(1) : 5-16.
52. 1941c. Notes and descriptions of Neotropical Triatominae (Hemiptera, Reduviidae). *Pan-Pac. Entomol.*, 17(2) : 49-57.
53. 1941d. Obituaries. *Pan-Pac. Entomol.*, 17(2) : 84.
54. 1941e. Problems of insect speciation in the Hawaiian Islands. *Amer. Natur.*, 75(758) : 251-263. [Reprinted, "Symposium on the species concept," *In Biological Symposia* 4(4) : 281-293, Jaques Cattell Press, Lancaster, Penna.]
55. 1941f. The present status and synonymy of some orsilline species (Hemiptera, Lygaeidae). *Bull. Brooklyn Entomol. Soc.*, 36(3) : 129-132.
56. 1941g. The genus *Oechalia* (Pentatomidae, Hemiptera). *Proc. Hawaiian Entomol. Soc.*, 11(1) : 59-93.
57. 1941h. A remarkable immigrant leptopodid in California. *Bull. Brooklyn Entomol. Soc.*, 36(4) : 164-165.
58. 1941i. Two new species of Aradidae from Baltic amber (Hemiptera). *Psyche*, 48(2-3) : 95-100.
59. 1941j. Distribution of the Heteroptera of Oceania. *Proc. Sixth Pac. Sci. Congr.*, 4: 311-315.
60. 1941k. Distribution and host relationships of North and Central American Triatominae. *Proc. Sixth Pac. Sci. Congr.*, 4: 459-461.
61. 1941l. Three new genera of apterous Aradidae (Hemiptera). *Pan-Pac. Entomol.*, 17(4) : 169-181.
62. 1941m. Rediscovery of *Emesaya brevicoxa* and its occurrence in the webs of spiders (Hemiptera, Reduviidae). *Bull. Brooklyn Entomol. Soc.*, 36(5) : 206-208.
63. 1942a. Key to the families of Heteroptera of North America, p. 269-273, *In* E. O. Essig, College Entomology. The Macmillan Company, New York, vii + 900 p.
64. 1942b. Notes on some flat bugs from the vicinity of Mt. Lassen, California (Hemiptera, Aradidae). *Pan-Pac. Entomol.*, 18(2) : 83-86. E. G. Linsley and R. L. U.
65. 1942c. The Orsillini of New Zealand (Hemiptera, Lygaeidae). *Trans. Roy. Soc. N. Z.*, 72(1) : 41-52.
66. 1942d. A brachypterous *Reduvius* from Lower California (Heteroptera: Reduviidae). *Entomol. News*, 53(7) : 198-200.

67. 1942e. A new species of *Oechalia* from Oahu (Pentatomidae, Hemiptera). Proc. Hawaiian Entomol. Soc., 11(2) : 217-218.
68. 1942f. A new Philippine leptopodid with remarks on the classification of the family (Hemiptera). Bull. Brooklyn Entomol. Soc., 37(3) : 103-106.
69. 1942g. Notes and descriptions of East Asian Lygaeidae (Hemiptera). Lin-gnan Sci. J., 20(2-4) : 249-250.
70. 1942h. The genus *Nysius* and its allies in the Hawaiian Islands (Hemiptera, Lygaeidae, Orsillini). Bishop Mus. Bull., 173. 167 p., 12 pls.
71. 1942i. Revision of the Termitaphididae (Hemiptera). Pan-Pac. Entomol., 18(4) : 155-159.
72. 1942j. The genus *Ilyocoris* Stål (Hem., Naucoridae). Entomol. Mon. Mag., 78: 241-242. [Reprinted J. Kansas Entomol. Soc., 17(2) : 76-77.]
73. 1942k. Key to the genera and species of Vesciinae with descriptions of two new species (Hemiptera, Reduviidae). Rev. Entomol. Brazil, 13(3) : 290-296.
74. 1943a. Notes on the variation and distribution of *Mesovelia mulsanti* White (Mesoveliidae, Hemiptera). Bull. Brooklyn Entomol. Soc., 37(5) : 177-178.
75. 1943b. An annectent genus of Cimicoidea from Baltic amber (Hemiptera). Psyche, 49(3-4) : 41-46.
76. 1943c. Types of apterous Aradidae. Pan-Pac. Entomol., 19(2) : 60. [See paper # 127, fn. on p. 174.]
77. 1943d. Book review. Essig, College entomology. Pan-Pac. Entomol., 19(2) : 62.
78. 1943e. A new name for a New Zealand aradid. Pan-Pac. Entomol., 19(2) : 74.
79. 1943f. Book review. Ferris, Atlas of the scale insects of North America. Pan-Pac. Entomol., 29(2) : 79-80.
80. 1943g. A new species of *Campylomma* from the Hawaiian Islands (Hemiptera: Miridae). Proc. Hawaiian Entomol. Soc., 11(3) : 287-288.
81. 1943h. A taxonomic note on *Aradus depictus* Van Duzee. Pan-Pac. Entomol., 19(4) : 138.
82. 1944a. A revised classification of the Reduvioidea with a new subfamily from South America (Hemiptera). Ann. Entomol. Soc. Amer., 36(4) : 602-618.
83. 1944b. Entomological phases of the recent dengue epidemic in Honolulu. Public Health Rep., 59(13) : 432-420.
84. 1944c. Literature review. Soper and Wilson, *Anopheles gambiae* in Brazil, 1930-1940. Monthly Report, Malaria Control in War Areas, U. S. Public Health Service, Atlanta, Ga., March 1944, p. 12. [Reprinted, Mosquito News, 4(4) : 111-114.]
85. 1944d. Host plants of western *Lygus* (Hemiptera, Miridae). Pan-Pac. Entomol., 20(2) : 78.
86. 1944e. Review of "A symposium on a national program for the control of malaria." Mosquito News, 4(2) : 44-47.
87. 1944f. Further notes on the habits of some flat bugs with a description of the male of *Aradus patibulus* Van Duzee. Pan-Pac. Entomol., 20(3) : 111-114. E.G. Linsley and R. L. U.
88. 1944g. Dengue control in the Hawaiian Islands. Malaria Control in War

- Areas, U. S. Public Health Service Field Bulletin, Atlanta, Ga., p. 2-5. W. E. Gilbertson and R. L. U.
89. 1944h. Heteroptera of Canton Island. Proc. Hawaiian Entomol. Soc., 12 (1) : 147-148.
90. 1944i. Nomenclature of the human malaria parasites. Science, 100 (2692) : 190-192. C. W. Sabrosky and R. L. U.
91. 1944j. Yellow fever from the viewpoint of Savannah. Ga. Hist. Quart., 28(3) : 143-156.
92. 1944k. The Triatominae of North and Central America and the West Indies and their public health significance. Public Health Bull., No. 288, iv + 83 p. [12 pls.].
93. 1944l. Nomenclature of the genus *Nysius* and its allies (Lygaeidae: Heteroptera). Proc. Entomol. Soc. Wash. 46(9) : 260-262. R. L. U. and R. I. Sailer.
94. 1945a. Distribution of *Icteronysius* with description of a new subspecies from Haleakala (Hemiptera, Lygaeidae). Proc. Hawaiian Entomol. Soc., 12(2) : 405-406.
95. 1945b. Classification of the Enicocephalidae (Hemiptera, Reduvioidea). Ann. Entomol. Soc. Amer., 38(3) : 321-342.
96. 1945c. Notes and descriptions of America Polycetenidae (Hemiptera). Pan-Pac. Entomol., 21(4) : 121-124. G. F. Ferris and R. L. U.
97. 1945d. Biology and control of ash plant bugs in California. J. Econ. Entomol., 38(5) : 585-591.
98. 1945e. Notes on the genus *Cryptostemma* with a new record for Georgia and a new species from Puerto Rico (Hemiptera: Cryptostematidae). Entomol. News, 56(9) : 238-241.
99. 1946a. Review of the genus *Saldoida* with new records for Georgia and Virginia (Hemiptera, Saldidae). Bull. Brooklyn Entomol. Soc., 40(4) : 116-118.
100. 1946b. Notes on Cuban Triatominae (Hemiptera, Reduviidae). Pan-Pac. Entomol., 22(1) : 19-20. Reprinted in English and Spanish, 1948, Rev. Kuba Med. Trop. Parasitol., 4(8) : 163-164.
101. 1946c. Notes and descriptions of *Ambrysus* Stål with an account of the life history of *Ambrysus morman* Montd. (Hemiptera, Naucoridae). Univ. Kans. Sci. Bull., 31, Pt. 1(10) : 185-210.
102. 1946d. Notes and descriptions of *Ceratocombus* (Hemiptera: Cryptostematidae). Proc. Hawaiian Entomol. Soc., 12(3) : 633-636.
103. 1946e. Notes on the synonymy and classification of the Enicocephalidae. Ann. Entomol. Soc. Amer., 39(2) : 170.
104. 1946f. Biology and control of the Ash lace bug *Leptoyptha minor*. J. Econ. Entomol., 39(3) : 286-289.
105. 1946g. Fascicle V, Polycetenidae, p. 1-18, In W. E. China, ed., General Catalogue of the Hemiptera. Smith College, Northampton, Mass.
106. 1946h. Household bugs. Pest Control and Sanitation., 1(12) : 19.
107. 1946i. Hemiptera Heteroptera of Guam, In Insects of Guam, II, Bishop Mus. Bull. No. 189: 11-103.
108. 1946j. Educational activities as related to the extended malaria control program: A progress report. J. Nat. Malaria Soc., 5(4) : 245-251. W.

- S. Boyd and staff [Staff: L. B. Hall, F. M. Hemphill, R. L. U., H. C. Knutson, J. C. Terrill, Jr.].
109. 1947a. Entomological technique. Pest Control and Sanitation, 2(3) : 14-17.
110. 1947b. Notes on *Graptostethus* in Hawaii (Hemiptera: Lygaeidae). Proc. Hawaiian Entomol. Soc., 13(1) : 107-108.
111. 1947c. Classification of the Cryphocricinae (Hemiptera: Naucoridae). Ann. Entomol. Soc. Amer., 40(2) : 329-343.
112. 1947d. Native hosts of the Mexican chicken bug, *Haematosiphon inodora* (Dugés) (Hemiptera, Cimicidae). Pan-Pac. Entomol., 23(3) : 140.
113. 1948a. Ash bug control. Calif. Agr., 2(3) : 13.
114. 1948b. Biology of aquatic and littoral insects. University of California Syllabus Series, Syllabus SS, 244 p. R. L. U., I. LaRivers, H. P. Chandler, and W. W. Wirth.
115. 1948c. Book review. Torre-Bueno, A synopsis of the Hemiptera-Heteroptera of America north of Mexico. Bull. Brooklyn Entomol. Soc., 42(5) : 173-175.
116. 1948d. A new genus and species of Aradidae from Fiji (Hemiptera). Proc. Hawaiian Entomol. Soc., 13(2) : 261-264.
117. 1948e. An all-purpose insect net made of nylon. Bull. Brooklyn Entomol. Soc., 43(2) : 67-68.
118. 1949a. A new species of *Chopardita* Villiers from the Anglo-Egyptian Sudan with notes on the subfamily Vesciinae (Hemiptera-Reduviidae). Ann. Mag. Natur. Hist., (12) 1: 598-604. W. E. China and R. L. U.
119. 1949b. War-time dispersal of Pacific island *Nysius* (Hemiptera: Lygaeidae). Proc. Hawaiian Entomol. Soc., 13(3) : 447.
120. 1949c. A new genus of Hydrometridae from the Belgian Congo, with a new subfamily and a key to the genera. Rev. Zool. Bot. Afr., 41(4) : 314-319. W. E. China and R. L. U.
121. 1949d. Book review. Zimmerman, Insects of Hawaii. Entomologist, 82 (April) : 95-96.
122. 1949e. The generic identification of Nearctic reduviid nymphs (Hemiptera). Ann. Entomol. Soc. Amer., 42(3) : 273-278. S. B. Fracker and R. L. U.
123. 1949f. Classification of the Veliidae (Hemiptera) with a new genus from South Africa. Ann. Mag. Natur. Hist., (12) 2: 243-254. W. E. China and R. L. U.
124. 1949g. A new genus of Tribelocephalinae from Fernando Poo (Hemiptera Reduviidae). Ann. Mus. Civico Storia Natur. Genova, 64: 43-47. W. E. China and R. L. U.
125. 1949h. Aquatic Hemiptera from Wicken Fen. Entomol. Mon. Mag., 85:311-312. R. L. U. and E. S. Brown.
126. 1950a. *Hermatobates haddonii* Carpenter from the Marquesas Islands (Hemiptera: Gerridae). Proc. Hawaiian Entomol. Soc., 14(1) : 53. W. E. China and R. L. U.
127. 1950b. The origin and distribution of apterous Aradidae. Proc. Eighth Int. Congr. Entomol. Stockholm, 1948: 174-179.
128. 1950c. On the identity of *Heterocleptes* Villiers 1948 and *Hydrobatodes* China and Usinger 1949 (Hemiptera-Heteroptera Families Reduviidae and Hydrometridae). Rev. Zool. Bot. Afr., 43(3) : 336-344. W. E. China, R. L. U., and A. Villiers.

129. 1950d. In memoriam. William Brodbeck Herms, 1876–1949. Univ. Calif. Faculty Bull., 19(12) : 119–120. S. B. Freeborn, H. F. Grey, R. T. Legge, and R. L. U.
130. 1951a. Heteroptera of the Marshall Islands. Proc. Hawaiian Entomol. Soc., 14(2) : 315–321.
131. 1951b. A revised classification of Pacific Island *Cyrtorhinus* with a new species from Fiji (Hemiptera, Miridae). Comment. Biol., 12(8) : 1–5.
132. 1951c. The history of the Pacific Coast Entomological Society. Pan-Pac. Entomol., 27(3) : 97–119. E. O. Essig, P. D. Hurd, D. D. Jensen, H. B. Leach, E. G. Linsley, J. W. MacSwain, R. C. Miller, R. L. U., and E. C. Van Dyke.
133. 1951d. Proposed use of the plenary powers to designate type species of the genera “*Nysius*” Dallas, 1852 and “*Artheneis*” Spinola, 1837. Bull. Zool. Nomencl. 2(11) : 313–314. R. L. U. and R. I. Sailer.
134. 1951e. Book review. Ferris, The sucking lice. Pac. Discovery 4(6) : 28–29.
135. 1952a. New species and additional records of Heteroptera from the Marshall Islands. Proc. Hawaiian Entomol. Soc., 14(3) : 519–524.
136. 1952b. A new genus of *Chryxinae* from Brazil (Hemiptera: Reduviidae). Pan-Pac. Entomol., 28(1) : 55–56.
137. 1952c. Obituary. Brighton Clark Cain. Pan-Pac. Entomol., 28(3) : 125.
138. 1952d. A new species of *Carayonia* from Ceylon (Hemiptera, Reduviidae, Saicinae). Entomologist, 85 (Sept.) : 212–213.
139. 1952e. Two new Orsillini from Kilimanjaro (Hemiptera: Lygaeidae). Proc. Roy. Entomol. Soc. London, (B) 21(9–10) : 140–146.
140. 1952f. Neotypes. Syst. Zool., 1(4) : 171–173.
141. 1953a. Methods and Principles of Systematic Zoology. McGraw-Hill Book Company, New York, ix + 328 p. E. Mayr, E. G. Linsley, and R. L. U.
142. 1953b. The insect life of Arno [Marshall Islands]. Atoll Res. Bull. (Pac. Sci. Bd., Nat. Res. Council), No. 15: 1–28.
143. 1953c. Suggestions for collecting terrestrial invertebrates on Pacific Islands, *In* Sachet and Fosberg, Handbook for Atoll Research (2nd prelim. ed.), Atoll Res. Bull. (Pac. Sci. Bd., Nat. Res. Council), No. 17: 69–72.
144. 1953d. A new species of *Aphraniola* from Cambodia (Hemiptera, Cimicidae). Rev. Fr. Entomol., 20(2) : 138–139. G. F. Ferris and R. L. U.
145. 1953e. Notes on the genus *Metrobates* in California with a description of a new species (Hemiptera: Gerridae). Pan-Pac. Entomol., 29(3) : 178–179.
146. 1953f. Book review. Pennak, Fresh-water invertebrates of the United States. Pan-Pac. Entomol., 29(4) : 221–222.
147. 1954a. Class Insecta (part of superclass Labiata), p. 189–195, *In* S. F. Light et al., Intertidal Invertebrates of the Central California Coast. Univ. Calif. Press, Berkeley and Los Angeles, xiv + 446 p.
148. 1954b. Revision of the genus *Chelonocoris* Miller (Hemiptera, Aradidae). Zool. Meded., 32(22) : 259–278.
149. 1954c. Obituary. Howard Madison Parshley (1884–1953). Pan-Pac. Entomol., 39(1) : 1–4.
150. 1954d. A new genus of Aradidae from the Belgian Congo, with notes on stridulatory mechanisms in the family. Ann. Mus. Congo Tervuren, in-4°, Zool., 1, 1954—Miscellanea Zoologica, H. Schouteden, p. 540–543.

151. 1955a. The role of insects in sewage beds. *Hilgardia*, 23(10) : 263-321. R. L. U. and W. R. Kellen.
152. 1955b. Elements of Zoology. McGraw-Hill Book Company, Inc., New York, vi + 522 p. T. I. Storer and R. L. U.
153. 1955c. Appendix: Changes in the international rules of zoological nomenclature, p. 285-292 [supplement to No. 141, 1953a], Methods and Principles of Systematic Zoology. McGraw-Hill Book Company, Inc., New York, vii + 366 [1955 printing].
154. 1955d. Hemiptera, p. 534-536, *In A Century of Progress in the Natural Sciences*. California Academy of Sciences, San Francisco, vii + 807 p.
155. 1956a. A drag-type riffle-bottom sampler. *Progr. Fish-Cult.*, 18(1) : 42-44. R. L. U. and P. R. Needham.
156. 1956b. The stability of scientific names. *Ann. Rev. Entomol.*, 1 : 59-70.
157. 1956c. Variability in the macrofauna of a single riffle in Prosser Creek, California, as indicated by the Surber sampler. *Hilgardia*, 24(14) : 383-409. P. R. Needham and R. L. U.
158. 1956d. Aquatic Insects of California. Univ. Calif. Press, Berkeley and Los Angeles, x + 508 p. [Ed., author of preface, p. vii-viii, introduction, p. 3-49, and chapter on Hemiptera, p. 182-228.]
159. 1957a. Arctic amber. *Pac. Discovery*, 10(2) : 15-19. R. L. U. and R. F. Smith.
160. 1957b. Notes on and descriptions of Cimicidae (Hemiptera). *Microentomology*, 22(1) : 1-37. G. F. Ferris and R. L. U.
161. 1957c. Obituary. Edwin Cooper Van Dyke, 1869-1952, p. 180-182, *In Memoriam*. University of California. R. L. U., E. O. Essig, and E. G. Linsley.
162. 1957d. Notes on marine water striders of the Hawaiian Islands (Hemiptera: Gerridae). *Proc. Hawaiian Entomol. Soc.*, 16(2) : 281-283. R. L. U. and J. L. Herring.
163. 1957e. A new genus and two new species of myrmecomorphic Miridae from North America (Hemiptera). *Wasemann J. Biol.*, 15(1) : 1-13. J. C. M. Carvalho and R. L. U.
164. 1957f. General Zoology. McGraw-Hill Book Company, Inc., New York, 3rd ed., vi + 664 p. T. I. Storer and R. L. U. [Translated into Spanish, Arabic, and Russian.]
165. 1957g. Hemiptera Heteroptera Cimicidae. A new genus and species from South Africa, Chap. IX, *In South African Animal Life (Results of the Lund University Expedition in 1950-51)*, 4: 374-376. G. F. Ferris and R. L. U.
166. 1957h. Heteroptera: Aradidae. *Insects Micronesia*, 7(3) : 117-172. R. Matsuda and R. L. U.
167. 1957i. Marine insects, *In Treatise on Marine Ecology and Paleoecology*. Ecology. Mem. Geol. Soc. Amer., 1(67) : 1177-1182.
168. 1958a. Harzwanzzen or "resin bugs" in Thailand. *Pan-Pac. Entomol.*, 34(1) : 52.
169. 1958b. Laboratory Manual for Zoology, McGraw-Hill Book Company, Inc., New York, 3rd ed., x + 181 p. T. I. Storer and R. L. U.
170. 1958c. A new genus of Reduviidae from the Hawaiian Islands (Hemiptera). *Proc. Hawaiian Entomol. Soc.*, 16(3) : 437-440.
171. 1958d. Cretaceous and Tertiary insects in Arctic and Mexican amber. *Proc.*

- Tenth Int. Congr. Entomol., 1 [1956]: 851. P. D. Hurd, R. F. Smith, and R. L. U.
172. 1958e. Notes on the higher classification of the Reduviidae, with the description of a new tribe of the Phymatinae. Rev. Zool. Bot. Afr., 57(3-4): 256-281. J. Carayon, R. L. U., and P. Wygodzinsky.
173. 1958f. Book review. Borradaile and Potts, The Invertebrata, A manual for the use of students. Pan-Pac. Entomol., 34(4): 232.
174. 1959a. Classification of the Aradidae (Hemiptera-Heteroptera). British Museum, London. 410 p.
175. 1959b. A new species of *Stricticimex* from Kenya (Hemiptera: Cimicidae). Ann. Entomol. Soc. Amer., 52(1): 81-82. G. F. Ferris and R. L. U.
176. 1959c. Obituary. Gordon Floyd Ferris, 1893-1958. Pan-Pac. Entomol., 35(1): 1-12.
177. 1959d. The identity of *Nysius coenosulus* Stål. Proc. Hawaiian Entomol. Soc., 17(1): 92.
178. 1959e. Revision of the Metrargini (Hemiptera, Lygaeidae). Proc. Hawaiian Entomol. Soc., 17(1): 93-116. R. L. U. and P. D. Ashlock.
179. 1959f. Laboratory Workbook for Zoology. McGraw-Hill Book Company, Inc., New York, 188 p. T. I. Storer and R. L. U.
180. 1959g. A new species of *Stricticimex* from Ruanda-Urandi (Hemiptera: Cimicidae). Rev. Zool. Bot. Afr., 60(1-2): 61-64.
181. 1959h. New species of Cimicidae (Hemiptera). Entomologist, 92(1157): 218-222.
182. 1959i. The significance of ecologically equivalent species of Hemiptera that coexist in nature [abstract only]. Tenth Int. Congr. Entomol., 1: 101.
183. 1959j. Linnaeus and the development of the International Code of Zoological Nomenclature. Syst. Zool., 8(1): 39-47. E. G. Linsley and R. L. U.
184. 1960a. Book review. Southwood and Leston, Land and water bugs of the British Isles. Ann. Entomol. Soc. Amer., 53(3): 442.
185. 1960b. Enicocephalidae. Heteroptera. Insects Micronesia, 7(5): 219-230. R. L. U. and P. Wygodzinsky.
186. 1960c. Reduviidae. Heteroptera. Insects Micronesia, 7(5): 231-283. P. Wygodzinsky and R. L. U.
187. 1960d. Cimicidae. Heteroptera. Insects Micronesia, 7(5): 285-286. R. L. U. and G. F. Ferris.
188. 1960e. Obituary. Otto Herman Swezey. Pan-Pac. Entomol., 36(3): 151-153. R. L. U. and E. C. Zimmerman.
189. 1960f. New species of *Cyrtopeltis* from the Hawaiian Islands with a revised key (Hemiptera: Miridae). Proc. Hawaiian Entomol. Soc., 17(2): 249-254. J. C. M. Carvalho and R. L. U.
190. 1960g. The Cimicidae of Egypt (Hemiptera). J. Egypt. Public Health Ass., 35(2): 81-89.
191. 1960h. Hemiptera, p. 400-410, *In Encyclopedia of Science and Technology*. McGraw-Hill Book Company, Inc., New York.
192. 1960i. Observations on the biology of *Chilocanthus stellatus* (Curtis) and *C. arcticus* (Salberg) (Hemiptera: Saldidae). Pan-Pac. Entomol., 36(4): 189-190.
193. 1961a. New species of bed bugs from Africa. Calif. Agr., 15(4): 2.

194. 1961b. Elements of Zoology, McGraw-Hill Book Company, Inc., New York, 2nd ed., viii + 464 p. T. I. Storer and R. L. U.
195. 1961c. Obituary. Stanley Barron Freeborn, 1891-1960, *In Memoriam*, p. 35-37. University of California. E. C. Voorhies, T. I. Storer, and R. L. U.
196. 1961d. Taxonomy, p. 992-997, *In Encyclopedia of the Biological Sciences*. Reinhold Publishing Corp., New York. E. G. Linsley and R. L. U.
197. 1961e. *Lygus* Hahn, 1833 (Insecta, Hemiptera); Proposed designation under the plenary powers of a type species in harmony with accustomed usage. Z. N. (S.) 1062. Bull. Zool. Nomencl. 18(4) : 281-284. J. C. M. Carvalho, H. H. Knight, and R. L. U.
198. 1961f. Obituary. Stanley Barron Freeborn, 1891-1960. J. Econ. Entomol., 54(5) : 1069-1070.
199. 1961g. Book review. Gressitt, Problems of the zoogeography of Pacific and Antarctic insects. Ann Entomol. Soc. Amer., 54(6) : 928.
200. 1962a. Foreward, p. v-viii, *In Henry Walter Bates, The Naturalist on the River Amasons* Univ. Calif. Press, Berkeley and Los Angeles.
201. 1962b. Book review. The international code of zoological nomenclature. Bull. Entomol. Soc. Amer., 8(4) : 207-208.
202. 1963a. A new bat bug from southern Chile (Hemiptera: Cimicidae). Pan-Pac. Entomol., 39(1) : 51-55.
203. 1963b. Sierra Nevada Natural History, An illustrated handbook. Univ. Calif. Press, Berkeley and Los Angeles. 374 p., 24 col. pl. T. I. Storer and R. L. U.
204. 1963c. Classification of the Holoptilinae and description of the first representative from the New World (Hemiptera: Reduviidae). Proc. Roy. Entomol. Soc. London, (B) 32(3-4) : 47-52. P. Wygodzinsky and R. L. U.
205. 1963d. Insects and other arthropods from Kure Island. Proc. Hawaiian Entomol. Soc., 18(2) : 237-244. G. D. Butler, Jr., and R. L. U.
206. 1963e. Insects and other invertebrates from Laysan Island. Atoll Research Bull. 98 (Pac. Sci. Bd., Nat. Res. Council), 30 p. G. D. Butler, Jr., and R. L. U.
207. 1963f. Animal distribution patterns in the tropical Pacific, p. 255-261, *In J. L. Gressitt, ed., Pacific Basin Biogeography: A symposium*. Bishop Mus. Press, Honolulu.
208. 1963g. The evolutionary significance of island and host plant transfers in the genus *Nysius* and allies (Hemiptera, Lygaeidae). Proc. Ninth Pac. Sci. Congr. [Bangkok, Thailand], 9: 26-28.
209. 1964a. The role of Linnaeus in the advancement of entomology. Ann. Rev. Entomol., 9: 1-16, portrait.
210. 1964b. The genus *Reduvius* Fabricius in western North America (Reduviidae, Hemiptera, Insecta). Amer. Mus. Novitates, 2175: 1-15. P. Wygodzinsky and R. L. U.
211. 1964c. Description of a new species of *Mendanacoris* Miller, with notes on the systematic position of the genus (Reduviidae, Hemiptera, Insecta). Amer. Mus. Novitates, 2204: 1-13. R. L. U. and P. Wygodzinsky.
212. 1965a. General Zoology. McGraw-Hill Book Company, Inc., New York, 4th ed. 741 p. T. I. Storer and R. L. U.
213. 1965b. New species of bat bugs of the *Cimex pilosellus* complex (Hemiptera:

- Cimicidae). Pan-Pac. Entomol., 41(2) : 114–117. R. L. U. and N. Ueshima.
214. 1965c. Teacher's Handbook for Zoology. McGraw-Hill Book Company, Inc., New York, revised, iv + 60 p. T. I. Storer and R. L. U.
215. 1965d. Book review. Tuxen, The Protura. Bull. Entomol. Soc. Amer., 11(2) : 103.
216. 1965c. A new genus of Neotropical Anthocoridae that resembles the bed bug (Hemiptera). Pan-Pac. Entomol., 41(3) : 200–204. J. Carayon and R. L. U.
217. 1966a. The biosystematics of the Triatominae. Ann. Rev. Entomol., 11: 309–330. R. L. U., P. Wygodzinsky, and R. E. Ryckman.
218. 1966b. Insects of the Galápagos Islands. Proc. Calif. Acad. Sci., (4) 33(7) : 113–196. E. G. Linsley and R. L. U.
219. 1966c. Programming and communication: A message from the president. Bull. Entomol. Soc. Amer., 12(1) : 1–2.
220. 1966d. Obituary. Paul Robert Needham, 1902–1964, p. 82–84, *In Memoriam*. University of California. A. S. Leopold, E. G. Linsley, and R. L. U.
221. 1966e. Copyright bill: Taxonomic works. Science, 152 (3720) : 291–292. R. L. U. and W. I. Follett.
222. 1966f. Distributional patterns of selected western North American insects: Distributional patterns of Cimicidae in western North America. Bull. Entomol. Soc. Amer., 12(2) : 112.
223. 1966g. Book review. Gressitt et al., Insects of Campbell Island. Evolution, 20(2) : 246.
224. 1966h. Monograph of Cimicidae. The Thomas Say Foundation [Entomological Society of America], Vol. 7. xi + 585 p.
225. 1966i. Evolution of orsiline insect faunas on oceanic islands (Hemiptera, Lygaeidae). Contribution No. 30, p. 233–235, *In R. I. Bowman, ed., The Galápagos: Proceedings of the Galapagos International Scientific Project*. Univ. Calif. Press, Berkeley and Los Angeles. R. L. U. and P. D. Ashlock.
226. 1966j. The discovery of a possibly aboriginal population of the bed bug (*Cimex lectularius* Linnaeus, 1758). Acta Mus. Moraviae, 51: 237–242. R. L. U. and D. Povolný.
227. 1967a. Life in Rivers and Streams. McGraw-Hill Book Company, Inc., New York, 232 p. [Our Living World of Nature Series].
228. 1967b. Message from the parent organization. Proc. North Central Branch, Entomol. Soc. Amer., 21: 10.
229. 1967c. The introductory course in entomology, *In Teaching entomology* panel. Proc. North Central Branch, Entomol. Soc. Amer., 21: 35–36.
230. 1967d. Statement regarding public policy on pesticides prepared by special committee on public policy, ESA. Bio-science, 17(2) : 76.
231. 1967e. Entomology looks to the future—Men, money and mission. Bull. Entomol. Soc. Amer., 13(1) : 3–5.
232. 1967f. Sur deux *Cimex* (Insecta, Heteroptera) nouveau pour la faune française, parasites des chauvres-souris. Ann. Parasitol., 42(2) : 269–271. R. L. U. and J. C. Beaucournu.
233. 1967g. Un hémipètre Cimicidae nouveau d'Afrique centrale. Bull. de l'I. F.A.N., (A) 29(4) : 1688–1694. R. L. U. and J. Carayon.
234. 1967h. Book review. Wygodzinsky, A monograph of the Emesinae (Reduviidae, Hemiptera). Pan-Pac. Entomol., 43(3) : 249–250.

235. 1968a. Book review. Wenzel and Tipton, eds., Ectoparasites of Panama. Pan-Pac. Entomol., 44(1): 73-75.
236. 1968b. R. L. Usinger Hemiptera collection. Pan-Pac. Entomol., 44(3): 257.
237. 1969a. Elements of Zoology, 3rd ed. In press. McGraw-Hill Book Company, Inc., New York. T. I. Storer, R. L. U., and J. W. Nybakken.
238. In preparation. Biology and relationships of Joppeicidae. N. T. Davis and R. L. U.

LIST OF NAMES PROPOSED

Listed below in their original forms are the 10 subfamilies, 5 tribes, 94 genera, 9 subgenera, 398 species, 18 subspecies, and 4 varieties (a total of 538 names) proposed by Dr. Usinger. The year of description (century omitted) with a serial letter indicates the paper in which the description appears; after the colon is cited the page on which the description is to be found followed by a small 'f' when one or more figures were included with the description. An asterisk (*) preceding the name indicates a fossil form.

SCUTELLERIDAE

- Coleotichus* (Epicoleotichus)
mariannensis, 46i:20
Vanduzeeina
aenescens, 30:131
slevini, 30:132

PENTATOMIDAE

- Oechalia*
acuta, 4lg:82
bryani, 4lg:81
ferruginea, 4lg:85
similis, 4lg:88
sinuata, 42e:217
suehiroae, 4lg:89
swezeyi, 4lg:90
virescens, 4lg:77

COREIDAE

- Leptocoris*
carnivorus, 46i:25, f
lariversi, 52a:520, f
Riptortus
saileri, 52a:521, f

LYGAEIDAE

- Brachynysius**, 42d:44
convexus, 42d:44

Clerada

- hirsuta**, 42g:249

Cligenes

- mariannensis**, 46i:32, f

Gastrodes

- arizonensis**, 38e:297, f

- conicola**, 33d:127

- intermedius**, 38e:297

- remotus**, 38e:296

- walleyi**, 38e:300

Glyptonysius

- laevigatus**, 42h:45, f

Metrarga

- molokaiensis**, 59e:102, f

- swezeyi**, 59e:103

Neseis (Icteronyxius)

- maculiceps**, 42h:84, f

ochriasis

- subsp. **baldwini**, 45a:405

Neseis (Leionysius)

- pallidus**, 42h:53, f

Neseis (Physonyxius)

- ampliatus**, 42h:51, f

- molokaiensis**, 42h:50, f

Neseis (Trachynysius)

- alternatus**, 42h:76, f

- chinai**, 42h:78, f

- cryptus**, 42h:58, f

- fasciatus**, 42h:80, f
 var. **hyalinus**, 42h, 81, f
 subsp. **convergens**: 42h:81, f
- fulgidus**, 42h:59, f
hiloensis
 subsp. **approximatus**, 42h:70, f
 subsp. **intermedius**, 42h:71
 subsp. **interoculatus**, 42h:69, f
 subsp. **jugatus**, 42h:68, f
mauiensis
 var. **pallidipennis**, 42h:80, f
- nitidus**
 subsp. **impressicollis**, 42h:60, f
 subsp. **consummatus**, 42h:62, f
 subsp. **contubernalis**, 42h:61, f
 subsp. **pipturi**, 42h:65, f
- oahuensis**, 42h:57, f
swezeyi, 42h:73, f
whitei
 subsp. **brachypterus**, 42h:56
- Nesocryptias**
adamsoni, 59e:115, f
oahuensis, 59e:111, f
xiopsis, 59e:112, f
- Nysius**
abnormis, 42h:112, f
chenopodii, 42h:97
communis, 42h:110, f
frigatensis, 42h:94
fucatus, 42h:90, f
fullawayi, 42h:92, f
 var. **infuscatus**, 42h:94, f
 subsp. **flavus**, 42h:94
kinbergi, 59d:92
kirkaldyi, n.n., 37f:443
mixtus, 42h:110, f
neckerensis, 42h:104
nigriscutellatus, 42h:102, f
nihoae, 42h:103
oceanicus, 37e:441, f
picipes, 37e:439, f
salti, 52e:140, f
suffusus, 42h:96
terrestris, 42h:95, f
- Oceanides**
bimaculatus, 42h:37, f
bryani, 42h:28, f
delicatus, 42h:25, f
dilatipennis, 42h:43, f
fosbergi, 42h:31, f
- incognitus**, 42h:35, f
membranaceous, 42h:34, f
myopori, 42h:26, f
parvulus, 42h:30, f
perkinsi, 42h:42, f
picturatus, 42h:25, f
planicollis, 42h:28, f
rugosiceps, 42h:37, f
sinuatus, 42h:36, f
ventralis, 42h:24, f
- Oreonyxius**, 52e:141
rugosus, 52e:141, f
- Pachybrachius**
chinai, 46i:30
- ***Procymus**, 40a:79
 ***cockerelli**, 40a:79, f
- Rhypodes**
chinai, 42d:49
myersi, 42d:47
sericatus, 42d:46
stewartensis, 42d:51
- Sinorsillus**, 38d:140
piliferus, 38d:140
- ARADIDAE
- Acanthaptera**, 59a:107
ceylonensis, 59a:108, f
inerustata, 59a:110
- Acaraptera (Acaraptera)**, 59a:148
myersi, 59a:149, f
- Acaraptera (Lissaptera)**, 59a:149
completa, 59a:151, f
- Acaraptera (Nesiaptera)**, 59a:148
zimmermani, 59a:153, f
- Acoryphocoris**, 59a:294
longicorium, 59a:295, f
- Adenocoris**, 59a:67
brachypterus, 59a:68, f
spiniventris, 59a:70
- Aglaocoris**
rectangulatus, 59a:141, f
- Aneuraptera**, 59a:96
cimiciformis, 59a:96, f
- Aneurus**
lobatus, 57h:122, f
- Aphelocoris**, 59a:299
spinosus, 59a:300, f
- Aphyseteres**, 59a:206
borneensis, 59a:207

- Apteradus**
collaris, 59a:179, f
longicollis, 59a:176, f
- Aradus**
brasiliensis, 40f:639, f
furnissi, 36f:500, f
fuscipennis, 36f:504, f
intermedius, 36f:498, f
linsleyi, 36f:493, f
mexicanus, 36f:503, f
serratus, 36f:496, f
- Armoneurum**, 59a:316
tuberculatum, 59a:318, f
- Artabanellus**, 57h:141
infuscatus, 57h:141, f
- Banksiessa**, 59a:349
pubescens, 59a:350, f
- Barcinus**
bhoutanensis, 59a:281, f
ceramensis, 59a:278, f
papuensis, 59a:279, f
productus, 59a:281, f
- Bergrothiessa**, 59a:326
- Biroana**
inflata, 59a:156, f
- Calisius**
acutus, 57h:129, f
**balticus*, 41i:95
dilaticeps, 46i:37, f
infuscatus, 57h:133, f
longicornis, 57h:126, f
micronesicus, 57h:131, f
saipanensis, 57h:132, f
tinianensis, 57h:127, f
trukensis, 57h:135, f
- Carventaptera**, 59a:161
spinifera, 59a:162, f
- Carventini**, 50b:176
- Chelonocoris**
bloetei, 54b:271, f
depressus, 54b:269, f
ferrugineus, 54b:273, f
javensis, 54b:265, f
kormilevi, 54b:267, f
mancinii, 54b:276, f
milleri, 54b:263, f
- Chelonoderus**, 41l:179
stylatus, 41l:180, f
- Chinamyersiinae**, 59a:79
- Chinamyersia**, n.n., 43e:74
- Chinessa**, 59a:269
- Chlonocoris**, 59a:209
multispinosus, 59a:211, f
- Cremastaptera**, 59a:203
tuberculata, 59a:204, f
- Dasyaptera**, 59a:168
plumosa, 59a:170, f
- Daulocoris**, 59a:323
- Dihybogaster**
wygodzinskyi, 59a:122, f
- Dimorphacantha**, 59a:255
distincta, 59a:256, f
- Dolichothyreus**, 59a:290
stigmatus, 59a:291, f
- Drakiessa**, 59a:230
- Emydocoris**, 41l:176
testudinatus, 41l:177, f
- Eretmocoris**
cubensis, 59a:134, f
gigas, 59a:139, f
longicornis, 59a:138, f
minimus, 59a:136, f
productus, 59a:135, f
prominens, 59a:136, f
- Euchelonocoris**
elongatus, 59a:213, f
- Euricoris**
australicus, 59a:192, f
hollandicus, 59a:190, f
piliferus, 59a:187, f
- Glochocoris**, 59a:302
terminalis, 59a:303, f
- Glyptocoris**
spinosus, 59a:125, f
- Hoberlandtiessa**, 59a:225
convexa, 59a:226, f
- Isodermus**
crassicornis, 59a:61, f
tenuicornis, 59a:59
- Kema**
bloetei: 59a:316, f
- Kolpodaptera**, 59a:144
panamensis, 59a:146, f
prominens, 59a:145, f
- Kormilevia**, 59a:329, f
setifera, 59a:331, f
- Leuraptera**, 59a:158
zealandica, 59a:160, f
- Libicoris**
angulatus, 59a:184, f

- antennatus**, 59a:181, f
Lissocoris, 57h:137
 spinipes, 57h:137, f
Lissonotocoris, 59a:117
 membranaceus, 59a:118, f
Lophocoris, 59a:237
 lobatus, 59a:238, f
Mancinia, 59a:218
 incrustata, 59a:219, f
Malkinia, 59a:240
 stigmata, 59a:241, f
Mastigocoris, 57h:143
 angulatus, 57h:144, f
Mezira
 carinata, 36f:509
 pacifica, 36f:506, f
 mariannensis, 46i:34, f
 nigripennis, 36f:511
 *bsuccinica, 41i:98, f
 vanduzeei, 36f:507, f
Mystilocoris, 59a:341
 pubescens, 59a:342, f
Neadenocoris, 59a:71
 abdominalis, 59a:74, f
 acus, 59a:76, f
 glabrus, 59a:78, f
 ovatus, 59a:75, f
 reflexus, 59a:79, f
 spinicornis, 59a:72, f
Neasterocoris, 59a:333
 lutulentus, 59a:334, f
Neocarventus, 59a:164
 angulatus, 59a:166, f
Neophloeobia, 59a:232
 australica, 59a:232, f
 montrouzieri, 59a:234, f
Neuroctenus
 abdominalis, 57h:147, f
 angulatus, 57h:148, f
 lobatus, 57h:154, f
 obsoletus, 57h:152, f
 pacificus, 46i:36, f
 palauensis, 57h:151, f
 variegatus, 57h:149, f
Notapictinus, 59a:361
Notoplocaptera, 59a:171
 enigma, 59a:172, f
Notoplocoris, 41l:170
 montei, 41l:172, f
Ormenocoris, 59a:371
 stylatus, 59a:372, f
Oroessa, 59a:320, f
Overlaetiella
 nitida, 59a:266, f
Parapictinus
 alternatus, 59a:244
Phanocoris, 59a:223
 lobatus, 59a:223, f
Pictinellus, 59a:288
Pictinus
 acuminatus, 57h:160, f
 affinis, 57h:162, f
 crassicornis, 57h:164, f
 dominic, 36f:512
 granulatus, 57h:163, f
 longipennis, 57h:161, f
 minimus, 57h:166, f
 nigripennis, 57h:158, f
 productus, 57h:157, f
 rectus, 57h:166, f
Placogenys, 59a:352
 cockerelli, 59a:353, f
Prosympiestinae, 59a:62
Prosympiestus
 constrictus, 59a:64, f
 dilatatus, 59a:65, f
 subparallelus, 59a:66, f
Proxius (Neoproxius), 59a:113
Proxius (Nesoproxius), 59a:114
 minutus, 59a:114, f
Psectrocoris, 59a:304
 dilatus, 59a:306, f
Rhysocoris, 59a:129
 rugosus, 59a:130, f
Rossius, 59a:258
Sailerissa, 59a:346
 stigmata, 59a:347, f
Schoutedeniessa, n.n., 59a:287
Stelgidocoris, 59a:248
 minutus, 59a:249, f
Strigocoris, 54d:540
 pubescens, 59a:246, f
 schoutedeni, 54d:540, f
Tretocoris, 59a:82
 grandis, 59a:83, f
Trigonaptera, 57h:139
 glabra, 57h:139, f
Woodwardiessa, 59a:215

- quadrata**, 59a:216, f
Zeugocoris, 59a:310
Zimmermania, 48d:261
brachyptera, 48d:263, f
- ENICOCEPHALIDAE**
- Aenictopechinae**, 32:149
Ceratotrachelus, 45b:338
Chinella, 45b:337
Megenicocephalus, 45b:328
 chinai, 45b:329, f
Nesencocephalus, 39i:268
 dybasi, 60b:222, f
 hawaiiensis, 39i:268, f
 philippinensis, 39i:269
- Oncylotocis**
 esakii, 60b:228, f
 gracilis, 60b:226, f
 swezeyi, 46i:39
- Pseudencocephalus**, 45b:336
- Systelloderus**
 crassatus, 32:151, f
 nitidus, 32:152, f
- REDUVIIDAE**
- Ademula**
 distincta, 46i:43, f
 gressitti, 60c:263, f
 reticulatoides, 60d:262, f
- Aradellini**, 63c:49
- Callotriatoma**, 39f:36
 cubana, 39f:37, f
- Cavernicolini**, 44k:32
- Carayonia**
 culiciformis, 52d:212
- Chopardita**
 villiersi, 49a:598, f
- Dasycnemini**, 63c:49
- Dipetalogaster**, 39f:40
- Elasmocorinae**, 44a:612
- Elasmocoris**, 44a:613
 setigerus, 44a:614, f
- Emesopsis**
 amoenus, 60c:252, f
 bellulus, 60c:256, f
 decoris, 60c:258, f
 habros, 60c:254, f
 scitulus, 60c:248, f
 pilosus, 46i:42, f
- Empicoris**
 minutus, 46i:45
 tesselatoides, n.n., 60c:267
- Gardena**
 catenarium, 60c:242, f
- Hadrocranella**
 pallidicoxa, 46i:41, f
- Mendanacoris**
 milleri, 64c:2, f
- Mestor**
 humeralis, 39f:38
- Neoloptiris**, 63e:51
 villiersi, 63c:52, f
- Nesotriatoma**, 44k:38
 bruneri, 44k:39, f
- Pessoia**
 limai, 42k:292
- Physoderes**
 minor, 46i:50, f
- Ploaria**
 halosydne, 60c:235, f
 phyllodoce, 60c:240, f
 thetis, 60c:239, f
- Polytoxus**
 distinctus, 60c:270, f
 grandis, 60c:272, f
 marianensis, 46i:48, f
 pilosus, 46i:46, f
- Reduviius**
 sonoraensis, 42c:198
 vanduzeei, 64b:11, f
- Saicella**, 58c:437
 smithi, 58c:440, f
- Themonocorini**, 58e:257
- Themonocoris**, 58e:258
 bambesanus, 58e:269, f
 kinkalanus, 58e:264, f
 tshikapanus, 58e:262, f
- Triatoma**
 barberi, 39f:44
 capitata, 41c:52
 chilena, 39f:45
 incrassata, 39f:45
 lecticularius
 subsp. floridana, 44k:63, f
 longipennis, 39f:48
 longipes
 subsp. nigricollis, 44k:57
 mazzotti, 41c:54

- nitida**, 39f:43
peninsularis, 40c:73
phyllosoma
subsp. intermedia, 44k:61
picturata, 39f:47
protracta
 subsp. woodi, 39f:42
sanguisuga
subsp. occidentalis, 44k:69, f
 subsp. texana, 44k:69, f
- Tridemula**
contumax, 60c:260, f
- Velitra**
micronesica, 60c:278, f
- Vescia**
brachyptera, 42k:294
- Wygodzinskyella**, 52b:56
- Xenocaucus**, 49g:43
mancinii, 49g:46, f
- CIMICIDAE**
- Afrocimiciniae**, 66h:451
- Afrocimex**
constrictus, 57b:8, f
- Aphrania**
elongata, 66h:412, f
recta, 57b:11, f
- Aphraniola**
orientalis, 53d:138
- Bucimex**, 63a:51
chilensis, 63a:52, f
- Cacodmus**
aridus, 57b:10, f
sinuatus, 66h:397, f
sumatrensis, 57b:11, f
- Caminicimex**, 66h:468
- Cimex**
antennatus, 65b:115
brevis, 65b:117
cavernicola, 66h:338, f
incerassatus, 65b:115
japonicus, 66h:343, f
latipennis, 65b:114
- Crassicimex**, 57b:6
pilosus, 57b:7, f
sexualis, 57b:7, f
- Latrocimiciniae**, 66h:458
- Leptocimex**
duplicatus, 60g:86, f
vespertilionis, 60g:8, f
- Loxaspis**
malayensis, 66h:427, f
setipes, 57b:10, f
spinosus, 59h:218
- Ornithocoris**
pallidus, 59h:219
- Paracimex**
borneensis, 59h:220
caledoniae, 57b:9, f
capitatus, 66h:382, f
ignotus, 66h:382, f
lamellatus, 57b:10, f
philippinensis, 59h:221
reductus, 66h:385, f
setosus, 57b:9, f
- Passicimex**, 67g:1690
imprimis, 67g:1693, f
- Primicimicinae¹**
- Propicimex**, 66h:305
- Psitticimex**, 66h:471
- Stricticimex**, 57g:374
antennatus, 57g:376, f
brevispinosus, 59g:63, f
intermedius, 59b:81, f
namru, 60g:85, f
transversus, 57b:8, f
- POLYCTENIDAE**
- Hesperoctenes**
angustatus, 39a:18, f
eumops, 39a:19, f
hermsi, 39a:20, f
limai, 45c:123
parvulus, 45c:123
- ANTHOCORIDAE**
- Astemmocoris**, 65e:200
cimicoides, 65e:203, f
- Cardiasthethus**
minutissimus, 46i:57, f
- Lasiochilus**
marianensis, 46i:52
swezeyi, 46i:54
- MIRIDAE**
- Aretas**
bifasciatus, 46i:84, f
signatus, 46i:82, f

¹ In China and Miller, 1955, Ann. Mag. Natur. Hist., (12)8:263.

- Campylomma**
breviceps, 46i:88, f
brunneicollis, 46i:90, f
hawaiensis, 43g:287, f
marshallensis, 52a:523, f
pallida, 46i:89, f
- Cyrtopeltus** (*Engytatus*)
lysimachiae, 60f:252, f
phyllostegiae, 60f:251, f
- Cyrtorhinus** (*Cyrtorhinus*)
zwaluwenburgi, 44h:148, f
- Cyrtorhynus** (*Reuteriessa*), 51b:3
vitiensis, 51b:3, f
- Dacerla**
alata, 57e:7, f
- Deraeocoris**
guamensis, 46i:67
- Felisacus**
crassicornis, 46i:70, f
ochraceus, 46i:69, f
- Fulvius**
angustatus, 46i:68
- Halticus**
insularis, 46i:85
- Hyalopeplus**
guamensis, 46i:58, f
- Koanoa**
williamsi, 37d:437
- Lygus**
cruzi, 46i:65
fullawayi, 46i:64
var. **rubroscutellatus**, 46i:65
guamensis, 46i:63
- Macralonidea**
hyalinus, 46i:60, f
- Nesodaphne**
mariannensis, 46i:66
- Orthotylellus**
brunnescens, 46i:81
pallescens, 46i:80
rufescens, 46i:79
- Paradacerla**, 57e:8
azteca, 57e:10, f
- Platylygus**
vanduzeei, 31:129, f
- Psallops**, 46i:86
oculatus, 46i:87, f
- Termatophylidea**
maculata, 35c:271, f
- Zanchius**
fragilis, 46i:76, f
piperi, 46i:77, f
virescens, 46i:78, f
- CRYPTOSTEMMATIDAE**
- Ceratocombus** (*Ceratocombus*)
yunguensis, 46d:634
- Ceratocombus** (*Xylonannus*)
hawaiensis, 46d:633
- Cryptostemma**
pratti, 46a:240
- Nesonannus**, 46i:91
saileri, 46i:91
- CIMICOIDEA** (No Family)
- ***Electrocoris**, 43b:41
***brunneus**, 43b:45, f
***pubescens**, 43b:45
- SALDIDAE**
- Saldula**
mariannarum, 46i:100
swezyi, 46i:101
- LEPTOPODIDAE**
- Erianotes**
buenoi, 42f:103
- VELIIDAE**
- Halovelia**
mariannarum, 46i:98, f
Ocellovelia, 49f:345
- MESOVELIIDAE**
- Mesovelia**
pacifica, 46i:93, f
- GERRIDAE**
- Halobates**
hawaiensis, 38c:79, f
- Limnogonus**
lundbladi, 46i:95, f
- Metrobates**
trux
subsp. **infuscatus**, 53e:179
- HYDROMETRIDAE**
- Hydrobatodinae**, 49c:318
Hydrobatodes, 49c:314
schoutedeni, 49c:315, f

NAUCORIDAE

Ambrysinae, 41b:9

Ambrysus

barberi, 46c:189

bohartorum, 46c:195

buenoi, 46c:199

caliginosus, 46c:190

convexus, 46c:196

fossatus, 46c:191

fuscus, 46c:198

hintoni, 46c:206

hungerfordi, 46c:192

infuscatus, 46c:188

lunatus, 46c:203

lundbladi, 46c:205

sonorensis, 46c:202

vanduzeei, 46c:207

variegatus, 46c:200

woodburyi, 46c:194

Aphelocheirus

australicus, 37a:341, f

philippensis, 37g:307, f

uichancoi, 37g:305, f

Asthenocoris

luzonensis, 37g:303, f

Cataractocoris

marginiventris, 41b:13

Cryphocricos

hungerfordi, 47c:337, f

latus, 47c:340, f

mexicanus, 47c:335, f

obscuratus, 47c:338, f

Heleocoris

mexicanus, 35a:113, f

Potamocorinae

41b:8

HOMOPTERA: FULGOROIDEA: ACHILIDAE

***Protepiptera**, 39g:66

***kaweckii**, 39g:66